



Outbreak Brief #135

# Coronavirus Disease 2019 (COVID-19) Pandemic

17 August 2022





589,680,368 cases



6,436,519 deaths



AU Member States case count



12,031,992 cases




257,667 deaths

# The distribution of cumulative cases from the WHO reporting regions



## **European Region**245,289,313 (42%)

South-East Asia Region 59,764,980 (10%)



#### Eastern Mediterranean Region 22,881,182 (4%)

Western Pacific Region 78,879,202 (13%)

**African Region** 9,254,926 (2%)

Source: WHO Coronavirus (COVID-19) Dashboard

### Proportion of global totals in Africa

2.0% of Cases

4.0% of Deaths

# 53 AU Member States reporting presence of variants of concern

50 (91%) MS reporting Alpha

45 (82%) MS reporting Beta

3 (5%) MS reporting Gamma

52 (95%) MS reporting Delta

51 (93%) MS reporting Omicron

# **COVID-19** vaccination and booster coverage by AU Member State

23% population partially vaccinated

22% population fully vaccinated

2.6% population boostered

### **Outbreak Update**





### Number of new COVID-19 cases in African Union Regions




Figure 1. New COVID-19 cases reported per day in Africa by African Union region (15 February 2020 - 17 August 2022)

#### **Outbreak Update**

**Outbreak Update:** As of 17 August 2022, a total of 589,680,368 COVID-19 cases and 6,436,519 deaths (case fatality ratio [CFR]: 1%) have been reported globally by 232 countries and territories to the World Health Organization (WHO). The distribution of cumulative cases (percentage of global cases) from the WHO regions (excluding Africa) are as follows: **Eastern Mediterranean Region** 19,349,042(3%), **European Region** 245,289,313 (42%), **Region of the Americas** 173,610,001 (29%), **South-East Asia Region** 59,764,980 (10%) and **Western Pacific Region** 78,879,966 (13%). In the last seven days, the five countries reporting the highest number of new cases are Japan (1,335,047), Republic of Korea (836,888), the United States of America (667,118), Germany (259,757) and Russian Federation (193,589). As of 15 August 2022, over 4.8 billion people (61% of the global population) have been fully vaccinated. For more detailed information on cases and deaths reported outside of Africa, refer to the WHO COVID-19 dashboard.

As of 6 p.m. East African Time (EAT) 17 August 2022, a total of 12,031,992 COVID-19 cases and 257,667 deaths (CFR: 2.1%) have been reported by the 55 African Union (AU) Member States (MS). This represents 2% of all cases and 4% of all deaths reported globally. Forty one (75%) AU MS are reporting CFRs higher than the global CFR. Since the detection of COVID-19 on the African continent (in February 2020), 53 (96%) AU MS have experienced three distinct COVID-19 waves, 48 (87%) MS have experienced four waves, 27 MS have experienced five waves, and five MS (Algeria, Burundi, Kenya, Mauritius and Tunisia) have experienced a sixth wave.

Fifty-three MS have reported COVID-19 cases infected with the Alpha (50 MS), Beta (45), Delta (52), Gamma (3) and Omicron (51) variants of concern (VOC). Additionally, 26 MS have detected the Omicron BA.2 sub-variant, while 16 MS detected the Omicron BA.4 and 12 MS detected the Omicron BA.5 sub-variants. More information on SARS-COV-2 sequencing and the breakdown of variants reported by AU MS is available on the Africa Pathogen Genomics Initiative Dashboard.

Fifty-four (98%) MS are currently providing COVID-19 vaccination to the general population. Cumulatively, 668 million doses have been administered on the continent. Of these doses administered, 328 million people have been partially vaccinated, 304 million have been fully vaccinated, and 22% continental population is fully vaccinated. Eritrea is the only AU MS yet to start COVID-19 vaccination roll out. More information on COVID-19 vaccination can be found on the <u>Africa CDC COVID-19 vaccine dashboard</u>.

For Epi week 32 (8 -14 August 2022)\*, 11,836 new COVID-19 cases were reported, which is a 29% decrease in the number of new cases reported compared to the previous week (week 31) (Figure 1). The Eastern region accounted for 36% of the new COVID-19 cases reported this week, followed by the Northern (24%), Central (15%), Southern (22%), and Western (7%) regions. Seychelles (215) had the highest number of new daily COVID-19 cases per 1 million population among all MS.

Last week (week 32), 81 new COVID-19 deaths were reported in Africa, a 19% decrease in the number of new deaths reported compared to the previous week. Approximately 79% of these deaths were reported from the Northern region. The remaining deaths were reported from the Southern (16%), Southern (6%) and Western (6%) regions. There were no deaths reported from the Eastern region. Cumulative COVID-19 case and death totals and new COVID-19 cases and deaths reported during week 32 by AU Member State are summarized in Table 1.

More than 151,197 tests were conducted during the past week, reflecting a 73% decrease in the number of tests compared to the previous week. The weekly % test positivity has increased from 3% to 4%. Since February 2020, over 120.2 million COVID-19 tests have been conducted in Africa. **For more information on the COVID-19 situation in Africa**, please see the Africa CDC daily dashboard and hotspot dashboard.

<sup>\*</sup>The number of new cases and deaths are updated as Africa CDC receives this information and may not be reflective of the total new cases and deaths as per the date of the outbreak brief report.

### **Cases, Deaths and Recoveries**





Table 1. Confirmed COVID-19 cases, deaths and recoveries reported in Africa for Epi week 32

Country  Central Africa  Burundi  Cameroon	(new cases) 380,667 (873) 48,548 (786) 120,967 (0)	-59.9% -47.1%	(new deaths) 4,562 (0) 15 (0)	-100%
	,		<b>15</b> (0)	
Camaraan	<b>120,967</b> (0)		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	NA*
Cameroon		-100%	<b>1,933</b> (0)	NA*
Central African Republic	<b>14,823</b> (21)	-4.5%	<b>113</b> (0)	NA*
Chad	<b>7,452</b> (15)	NA*	<b>193</b> (0)	NA*
Congo Republic	<b>24,775</b> (0)	NA*	<b>386</b> (0)	NA*
DR Congo	<b>92,589</b> (35)	-63.5%	<b>1,357</b> (0)	NA*
Equatorial Guinea	<b>16,801</b> (16)	-63.6%	<b>183</b> (0)	NA*
Gabon	<b>48,592</b> (0)	-100%	<b>306</b> (0)	NA*
São Tomé and Príncipe	<b>6,120</b> (0)	-100%	<b>76</b> (0)	-100%
Eastern Africa	<b>1,462,743</b> (2,843)	-60.6%	<b>27,606</b> (1)	-50%
Comoros	<b>8,374</b> (22)	-4.3%	<b>160</b> (0)	NA*
Djibouti	<b>15,753</b> (0)	NA*	<b>189</b> (0)	NA*
Eritrea	<b>10,136</b> (244)	NA*	<b>103</b> (0)	NA*
Ethiopia	<b>492,786</b> (295)	16.1%	<b>7,569</b> (0)	-100%
Kenya	<b>337,965</b> (91)	-61.3%	<b>5,673</b> (1)	NA*
Madagascar	<b>66,599</b> (42)	-84.3%	<b>1,406</b> (0)	NA*
Mauritius	<b>38,427</b> (0)	NA*	<b>1,002</b> (0)	NA*
Rwanda	<b>132,355</b> (30)	-99.5%	<b>1,460</b> (0)	NA*
Seychelles	<b>45,692</b> (152)	36.9%	<b>168</b> (0)	NA*
Somalia	<b>27,020</b> (108)	NA*	<b>1,361</b> (0)	NA*
South Sudan	<b>17,783</b> (0)	NA*	<b>138</b> (0)	NA*
Sudan	<b>63,147</b> (11)	-95.8%	<b>3,909</b> (0)	NA*
Tanzania	<b>38,205</b> (1,685)	NA*	<b>841</b> (0)	NA*
Uganda	<b>168,501</b> (163)	-46.4%	<b>3,627</b> (0)	-100%





Country	Cumulative number of cases (new cases)	% change in new cases since week 31	Cumulative number of deaths (new deaths)	% change in new deaths since week 31
Northern Africa	<b>3,760,548</b> (4,226)	-46.8%	<b>84,490</b> (64)	-11%
Algeria	<b>269,137</b> (887)	10.9%	<b>6,878</b> (1)	-50%
Egypt	<b>515,667</b> (0)	NA*	<b>24,624</b> (0)	NA*
Libya	<b>506,314</b> (509)	-37%	<b>6,435</b> (2)	0%
Mauritania	<b>62,708</b> (51)	-40%	<b>992</b> (0)	NA*
Morocco	<b>1,263,453</b> (831)	-49.5%	<b>16,269</b> (12)	-40%
Sahrawi	<b>2,134</b> (54)	63.6%	<b>90</b> (0)	NA*
Tunisia	<b>1,141,135</b> (1,894)	-58.7%	<b>29,202</b> (49)	2%
Southern Africa	<b>5,554,834</b> (2,608)	-28.9%	<b>127,322</b> (11)	-31%
Angola	<b>102,655</b> (0)	-100%	<b>1,917</b> (0)	-100%
Botswana	<b>263,950</b> (0)	NA*	<b>2,739</b> (0)	NA*
Eswatini	<b>73,327</b> (22)	-12%	<b>1,419</b> (0)	-100%
Lesotho	<b>34,285</b> (36)	176.9%	<b>704</b> (0)	NA*
Malawi	<b>87,711</b> (84)	-61.3%	<b>2,673</b> (3)	-40%
Mozambique	<b>229,887</b> (132)	-14.3%	<b>2,219</b> (3)	200%
Namibia	<b>166,253</b> (0)	NA*	<b>4,065</b> (0)	NA*
South Africa	<b>4,008,164</b> (1,293)	-44.2%	<b>101,982</b> (0)	NA*
Zambia	<b>332,058</b> (984)	60.5%	<b>4,016</b> (1)	NA*
Zimbabwe	<b>256,544</b> (57)	-45.7%	<b>5,588</b> (4)	-43%





Country	Cumulative number of cases (new cases)	% change in new cases since week 31	Cumulative number of deaths (new deaths)	% change in new deaths since week 31
Western Africa	<b>868,087</b> (1,286)	-42.5%	<b>11,426</b> (5)	-44%
Benin	<b>27,316</b> (0)	-100%	<b>163</b> (0)	NA*
Burkina Faso	<b>21,204</b> (76)	NA*	<b>387</b> (0)	NA*
Cabo Verde	<b>62,254</b> (40)	-21.6%	<b>410</b> (0)	NA*
Côte d'Ivoire	<b>86,151</b> (406)	6.3%	<b>815</b> (4)	NA*
Gambia	<b>12,238</b> (0)	-100%	<b>368</b> (0)	NA*
Ghana	<b>168,457</b> (107)	-52%	<b>1,459</b> (1)	0%
Guinea	<b>37,521</b> (28)	7.7%	<b>785</b> (0)	-100%
Guinea-Bissau	<b>8,482</b> (30)	-25%	<b>174</b> (0)	-100%
Liberia	<b>7,578</b> (30)	200%	<b>294</b> (0)	NA*
Mali	<b>31,245</b> (9)	12.5%	<b>739</b> (0)	NA*
Niger	<b>9,139</b> (14)	-26.3%	<b>311</b> (0)	NA*
Nigeria	<b>262,664</b> (262)	-71.8%	<b>3,147</b> (0)	NA*
Senegal	<b>87,802</b> (187)	-18.3%	<b>1,968</b> (0)	NA*
Sierra Leone	<b>7,741</b> (3)	-25%	<b>125</b> (0)	NA*
Togo	<b>38,295</b> (94)	-13.8%	<b>281</b> (0)	-100%
Africa	<b>12,026,879</b> (11,836)	-49.1%	<b>255,406</b> (81)	-19%

### **Response Activities**





### **New (Africa CDC) Response Activities**

#### General

- 1. Dr. Ahmed E. Ogwell Ouma, Acting Director of Africa CDC, hosted the Africa CDC weekly press briefing on Thursday 11 August 2022 at 12 p.m. EAT. He provided an update on the COVID-19 situation across the continent, including response efforts and progress on increasing COVID-19 vaccination coverage. The recording is available on the Africa CDC Twitter page.
- 2. Africa CDC published a mixed-methods study on challenges and opportunities for mental health and psychosocial support (MHPSS) in the COVID-19 Response in Africa. The study aimed to assess the extent to which mental health and psychosocial support was included in the national response to COVID-19, and explore barriers and enablers to MHPSS integration into the COVID-19 response in AU MS. Download <a href="here">here</a>

#### Laboratory

1. Africa CDC in collaboration with the East, Central and Southern Africa Health Community (ECSA-HC) and Uganda Supranational Reference Laboratory launched the Global Laboratory Leadership Program (GLLP) mentor and facilitator orientation for 12 participants on 13 August 2022 in Lusaka, Zambia. Africa CDC is also holding the first of the GLLP's three didactic sessions on 15 August 2022 in Lusaka, Zambia.

#### Sciences, Standards and Regulations

- 1. Subscribe <a href="here">here</a> to receive the Partnership for Evidence-Based Response to COVID-19 (PERC) update and all other products, or visit the <a href="PERC">PERC</a> and <a href="Africa CDC websites">Africa CDC websites</a>.
- Access the latest PERC report on "Responding to COVID-19 in Africa: Finding the Balance (Part IV) and Calls to Action" here.

### **Recommendations & Resources**





#### Recommendations

AU Member States should continue to organize and implement COVID-19 vaccination campaigns, with a focus on increasing <u>eligibility</u> and demand needed to achieve 70% vaccine coverage. Member States should also address vaccine misinformation with effective community-based risk communication and vaccine promotion activities.

AU Member States are encouraged to implement a tiered public health and social measures (PHSM) approach. This approach will ensure that measures are targeted and informed by the current COVID-19 situation.

AU Member States should continue to **enhance COVID-19 surveillance** efforts to include:

<u>Community-based surveillance</u> to detect symptomatic cases early and minimize viral transmission. Where feasible, <u>rapid antigen tests</u> and <u>self-testing</u> can be used to enhance diagnostic screening efforts.

Rapid mortality surveillance that focuses on collection, analysis and use of all-cause mortality data captured from facility and/or community-based surveillance activities to improve knowledge of COVID-19 related outcomes.

Genomic surveillance to monitor the presence of variants and the spread and continuous evolution of the virus.

<u>Syndromic surveillance</u> for influenza-like illness (ILI) and severe acute respiratory infections (SARI) to monitor COVID-19 trends in comparison to other respiratory pathogens.

AU Member States are encouraged to:

Continue contact tracing activities where feasible based on the current epidemiological situation and country capacity.

Inform the general public about the importance of seeking immediate medical care for individuals who develop severe symptoms of COVID-19 (e.g. difficulty breathing).

Engage social scientists to help inform and enhance vaccination campaigns and PHSM implementation.

All AU Member States should notify and routinely share data with Africa CDC and WHO on confirmed COVID-19 cases, deaths, recoveries, tests conducted and infected healthcare workers to support data for action. Notify Africa CDC by emailing: AfricaCDCEBS@africa-union.org.

#### Resources

Africa CDC COVID-19 updates https://africacdc.org/covid-19/

Adapted Africa Joint Continental Strategy for COVID-19 Pandemic: <a href="https://africacdc.org/download/adapted-africa-joint-continental-strategy-for-covid-19-pandemic/">https://africacdc.org/download/adapted-africa-joint-continental-strategy-for-covid-19-pandemic/</a>

Africa CDC Resources, policy guidelines, and infographics: https://africacdc.org/covid-19/covid-19-resources/

Africa CDC Hotspot and PHSM Tiers dashboards: https://africacdccovid.org/

Africa CDC vaccination dashboard: https://africacdc.org/covid-19-vaccination/

Africa CDC pathogen genomics dashboard: https://africacdc.org/institutes/africa-pathogen-genomics-initiative/

Partnership for Evidence-Based Response to COVID-19 (PERC) https://preventepidemics.org/covid19/perc/

 $WHO\ Technical\ Guidance.\ \underline{https://www.who.int/emergencies/diseases/novel-coronavirus-2019/technical-\underline{guidance}}$ 

### **Additional Figures**








Figure 2. New COVID-19 cases VS deaths reported in Africa region (15 February 2020 - 17 August 2022)








Figure 3. Map of weekly COVID-19 case incidence\* by African Union Member State for epidemiological week 32 [2022-08-08 - 2022-08-14]








Figure 4. Map of weekly COVID-19 death incidence\* by African Union Member State for epidemiological week 32 [2022-08-08 - 2022-08-14]









Figure 6. Map of weekly SARS-CoV-2 test positivity\* by African Union Member State for epidemiological week 32 [2022-08-08 - 2022-08-14]





Average for 54 AU Member States

22.2%



Note: The boundaries and names shown and the designations used on this map do not imply official endorsement or acceptance by the African Union.

Figure 7. Map of COVID-19 vaccination coverage by AU Member State as of 17 August 2022