

Outbreak Brief #148

# Coronavirus Disease 2019 (COVID-19) Pandemic

15 November 2022




## Global case count




**632,533,408**  
cases




**6,592,320**  
deaths



## AU Member States case count




**12,109,663**  
cases





**256,086**  
deaths

### The distribution of cumulative cases from the WHO reporting regions



Source: [WHO Coronavirus \(COVID-19\) Dashboard](#)

### Proportion of global totals in Africa

-  **1.9%** of Cases
-  **3.9%** of Deaths


### 53 AU Member States reporting presence of variants of concern

- 50** (91%) MS reporting Alpha
- 45** (82%) MS reporting Beta
- 3** (5%) MS reporting Gamma
- 52** (95%) MS reporting Delta
- 51** (93%) MS reporting Omicron

### COVID-19 vaccination and booster coverage by AU Member State

- 27.7%** population partially vaccinated
- 25.6%** population fully vaccinated
- 2.9%** population boosted

## Number of new COVID-19 cases in African Union Regions



**Figure 1. New COVID-19 cases reported per day in Africa by African Union region (15 February 2020 - 15 November 2022)**

## Outbreak Update

**Outbreak Update:** As of 14 November 2022, a total of 631,935,687 COVID-19 cases and 6,588,850 deaths (case fatality ratio [CFR]: 1%) have been reported globally by 232 countries and territories to the World Health Organization (WHO). The distribution of cumulative cases (percentage of global cases) from the WHO regions (excluding Africa) are as follows: **Eastern Mediterranean Region** 19,632,468 (3%), **European Region** 262,604,094 (41%), **Region of the Americas** 180,478,700 (29%), **South-East Asia Region** 60,538,645 (10%) and **Western Pacific Region** 95,646,985 (15%). In the last seven days, the five countries reporting the highest number of new cases are Japan (472,144), the Republic of Korea (361,084), Germany (180,370), China (167,668), and France (158,506). As of 8 November 2022, over 4.9 billion people (62% of the global population) have been fully vaccinated. For more detailed information on cases and deaths reported outside of Africa, refer to the [WHO COVID-19 dashboard](#).

**As of 6 p.m. East African Time (EAT) 14 November 2022**, a total of **12,109,663** COVID-19 cases and **256,086** deaths (**CFR: 2.1%**) have been reported by the 55 African Union (AU) Member States (MS). This represents 2% of all cases and 4% of all deaths reported globally. Forty-four (80%) AU MS are reporting CFRs higher than the global CFR. Since the detection of COVID-19 on the African continent (in February 2020), 53 (96%) AU MS have experienced three distinct COVID-19 waves, 48 (87%) MS have experienced four waves, 28 MS have experienced five waves, 6 MS have experienced a sixth wave and one MS (Kenya) has experienced a seventh wave.

Fifty-three MS have reported COVID-19 cases infected with the Alpha (50 MS), Beta (45), Delta (52), Gamma (3) and Omicron (51) variants of concern (VOC). Additionally, 35 MS have detected the Omicron BA.2 sub-variant, while 21 MS detected the Omicron BA.4, 18 MS detected the Omicron BA.5 and 3 MS detected the Omicron XBB sub-variants. More information on SARS-COV-2 sequencing and the breakdown of variants reported by AU MS is available on the [Africa Pathogen Genomics Initiative Dashboard](#).

Fifty-four (98%) MS are currently providing COVID-19 vaccination to the general population. Cumulatively, 763.7 million doses have been administered on the continent. Of these doses administered, 377 million people have been partially vaccinated, 351 million have been fully vaccinated, and 25.6% of the continental population is fully vaccinated. Eritrea is the only AU MS yet to start COVID-19 vaccination roll out. More information on COVID-19 vaccination can be found on the [Africa CDC COVID-19 vaccine dashboard](#).

**For Epi week 45 (7 - 13 November 2022)**, 7,643 new COVID-19 cases were reported, which is a 37% increase in the number of new cases reported compared to the previous week (week 44) (Figure 1). The Southern region accounted for 49% of the new COVID-19 cases reported this week, followed by the Eastern (31%), Northern (10%), Central (6%) and Western (4%) regions. Seychelles (1,186) had the highest number of new daily COVID-19 cases per 1 million population among all MS.

Last week (week 45), 31 new COVID-19 deaths were reported in Africa, which is a 48% decrease in the number of new deaths reported compared to the previous week. Approximately 29% of these deaths were reported from the Southern region. The remaining deaths were reported from the Eastern (26%), Northern (26%), and Central (19%) regions. There were no new deaths reported from the Western region. Cumulative COVID-19 case and death totals and new COVID-19 cases and deaths reported during week 45 by AU Member State are summarized in Table 1.

More than 99,000 tests were conducted during the past week, reflecting a 34% decrease in the number of tests compared to the previous week. The weekly % test positivity is 8%, a 100% increase compared to last week. Since February 2020, over 123.7 million COVID-19 tests have been conducted in Africa. **For more information on the COVID-19 situation in Africa**, please see the Africa CDC [daily dashboard](#) and [hotspot dashboard](#).

# Cases, Deaths and Recoveries

**Table 1. Confirmed COVID-19 cases, deaths and recoveries reported in Africa for Epi week 45**

Country	Cumulative number of cases (new cases)	% change in new cases since week 44	Cumulative number of deaths (new deaths)	% change in new deaths since week 44
<b>Central Africa</b>	<b>388,496 (443)</b>	<b>25.5%</b>	<b>4,604 (6)</b>	<b>500%</b>
Burundi	50,574 (57)	21.3%	15 (0)	NA*
Cameroon	123,993 (0)	NA*	1,965 (0)	NA*
Central African Republic	15,296 (0)	-100%	113 (0)	NA*
Chad	7,631 (4)	-42.9%	194 (0)	NA*
Congo Republic	24,837 (0)	NA*	386 (0)	NA*
DR Congo	93,838 (370)	38.1%	1,365 (6)	500%
Equatorial Guinea	17,085 (4)	-42.9%	183 (0)	NA*
Gabon	48,967 (8)	-42.9%	306 (0)	NA*
São Tomé and Príncipe	6,275 (0)	-100%	77 (0)	NA*
<b>Eastern Africa</b>	<b>1,478,280 (2,343)</b>	<b>43.1%</b>	<b>27,655 (8)</b>	<b>167%</b>
Comoros	8,879 (117)	30%	160 (0)	NA*
Djibouti	15,960 (0)	NA*	189 (0)	NA*
Eritrea	10,189 (0)	-100%	103 (0)	NA*
Ethiopia	494,185 (143)	40.2%	7,572 (0)	NA*
Kenya	340,431 (760)	45%	5,678 (0)	NA*
Madagascar	66,788 (42)	-28.8%	1,411 (0)	-100%
Mauritius	40,767 (147)	NA*	1,022 (8)	NA*
Rwanda	132,567 (0)	NA*	1,466 (0)	NA*
Seychelles	49,862 (827)	NA*	171 (0)	-100%
Somalia	27,243 (6)	-50%	1,361 (0)	NA*
South Sudan	18,318 (0)	-100%	138 (0)	NA*
Sudan	63,561 (52)	-17.5%	3,909 (0)	NA*
Tanzania	40,152 (98)	-60.8%	845 (0)	NA*
Uganda	169,378 (151)	NA*	3,630 (0)	NA*

Country	Cumulative number of cases (new cases)	% change in new cases since week 44	Cumulative number of deaths (new deaths)	% change in new deaths since week 44
<b>Northern Africa</b>	<b>3,772,503</b> (798)	<b>-15.8%</b>	<b>84,575</b> (8)	<b>NA*</b>
Algeria	<b>270,897</b> (50)	<b>177.8%</b>	<b>6,881</b> (0)	<b>NA*</b>
Egypt	<b>515,667</b> (0)	<b>NA*</b>	<b>24,624</b> (0)	<b>NA*</b>
Libya	<b>507,060</b> (0)	<b>-100%</b>	<b>6,437</b> (0)	<b>NA*</b>
Mauritania	<b>63,412</b> (20)	<b>-45.9%</b>	<b>997</b> (0)	<b>NA*</b>
Morocco	<b>1,266,617</b> (619)	<b>45.3%</b>	<b>16,283</b> (2)	<b>NA*</b>
Sahrawi	<b>2,148</b> (0)	<b>NA*</b>	<b>90</b> (0)	<b>NA*</b>
Tunisia	<b>1,146,702</b> (109)	<b>-75.3%</b>	<b>29,263</b> (6)	<b>NA*</b>
<b>Southern Africa</b>	<b>5,586,325</b> (3,783)	<b>90.8%</b>	<b>127,770</b> (9)	<b>-83%</b>
Angola	<b>103,131</b> (0)	<b>NA*</b>	<b>1,917</b> (0)	<b>NA*</b>
Botswana	<b>263,950</b> (0)	<b>NA*</b>	<b>2,739</b> (0)	<b>NA*</b>
Eswatini	<b>73,708</b> (90)	<b>50%</b>	<b>1,422</b> (0)	<b>NA*</b>
Lesotho	<b>34,924</b> (0)	<b>-100%</b>	<b>707</b> (0)	<b>NA*</b>
Malawi	<b>88,028</b> (19)	<b>90%</b>	<b>2,685</b> (0)	<b>-100%</b>
Mozambique	<b>230,590</b> (47)	<b>6.8%</b>	<b>2,224</b> (0)	<b>NA*</b>
Namibia	<b>166,662</b> (0)	<b>NA*</b>	<b>4,077</b> (0)	<b>NA*</b>
South Africa	<b>4,033,182</b> (3,240)	<b>81.8%</b>	<b>102,371</b> (8)	<b>-85%</b>
Zambia	<b>333,705</b> (21)	<b>110%</b>	<b>4,018</b> (1)	<b>NA*</b>
Zimbabwe	<b>258,445</b> (366)	<b>NA*</b>	<b>5,610</b> (0)	<b>NA*</b>

Country	Cumulative number of cases (new cases)	% change in new cases since week 44	Cumulative number of deaths (new deaths)	% change in new deaths since week 44
Western Africa	<b>882,843</b> (276)	<b>-58.4%</b>	<b>11,482</b> (0)	<b>-100%</b>
Benin	<b>27,782</b> (0)	<b>NA*</b>	<b>163</b> (0)	<b>NA*</b>
Burkina Faso	<b>21,631</b> (0)	<b>NA*</b>	<b>387</b> (0)	<b>NA*</b>
Cabo Verde	<b>62,699</b> (133)	<b>-21.3%</b>	<b>410</b> (0)	<b>NA*</b>
Côte d'Ivoire	<b>87,860</b> (30)	<b>-47.4%</b>	<b>829</b> (0)	<b>-100%</b>
Gambia	<b>12,580</b> (0)	<b>NA*</b>	<b>372</b> (0)	<b>NA*</b>
Ghana	<b>170,972</b> (78)	<b>-58.3%</b>	<b>1,460</b> (0)	<b>NA*</b>
Guinea	<b>38,173</b> (0)	<b>NA*</b>	<b>796</b> (0)	<b>NA*</b>
Guinea-Bissau	<b>8,831</b> (0)	<b>NA*</b>	<b>176</b> (0)	<b>NA*</b>
Liberia	<b>7,985</b> (0)	<b>NA*</b>	<b>294</b> (0)	<b>NA*</b>
Mali	<b>32,745</b> (7)	<b>0%</b>	<b>742</b> (0)	<b>NA*</b>
Niger	<b>9,430</b> (0)	<b>-100%</b>	<b>314</b> (0)	<b>NA*</b>
Nigeria	<b>266,242</b> (0)	<b>-100%</b>	<b>3,155</b> (0)	<b>NA*</b>
Senegal	<b>88,842</b> (21)	<b>-22.2%</b>	<b>1,968</b> (0)	<b>NA*</b>
Sierra Leone	<b>7,752</b> (0)	<b>NA*</b>	<b>126</b> (0)	<b>NA*</b>
Togo	<b>39,319</b> (7)	<b>-46.2%</b>	<b>290</b> (0)	<b>NA*</b>
Africa	<b>12,108,447</b> (7,643)	<b>36.9%</b>	<b>256,086</b> (31)	<b>-48%</b>

## New (Africa CDC) Response Activities

### General

1. Dr. Ahmed E. Ogwel Ouma, Acting Director of Africa CDC, hosted the Africa CDC weekly press briefing on Thursday 10 November 2022 at 12 p.m. EAT. He provided an update on the COVID-19 situation across the continent, including response efforts and progress on increasing COVID-19 vaccination coverage. The recording can be accessed [here](#)
2. Africa CDC in collaboration with Mastercard Foundation launched the Southern Africa Regional Saving Lives and Livelihoods (SLL) Programme hosted by the government of Zambia, on 11 November 2022 in Lusaka, Zambia. The objectives were to enhance awareness of the support of the SLL Programme to the MS at the national level and kick start full implementation of the SLL Programme support to the MS in the region.
3. Africa CDC and Mastercard Foundation through the SLL Programme launched the AU COVID-19 Vaccination Bingwa Initiative in the Southern Africa region on the margins of the Southern Africa regional launch of the SLL Programme in Lusaka Zambia, on 11 November 2022.

### Laboratory

1. Africa CDC is holding a consultative workshop on the revised COVID-19 testing strategy from 15 - 17 November 2022, in Accra, Ghana. The objective of this meeting is to explore and examine the operationalization of the revised COVID-19 testing strategy into routine healthcare services to ensure the deliberate expansion of COVID-19 testing services within other disease programmes.
2. Africa CDC's Pathogen Genomics Initiative (PGI) participated in the Paris Peace Forum, to discuss the work done by the Initiative to showcase their work in responding to COVID-19 in Africa, from 11 - 12 November 2022 in Paris, France.

### Sciences, Standards and Regulations

1. Access the Partnership for Evidence-Based Response to COVID-19 (PERC) update and all other products, or visit the [PERC](#) and [Africa CDC websites](#).
2. Access the latest PERC report on "Responding to COVID-19 in Africa: Finding the Balance (Part IV) and Calls to Action" [here](#).

## Recommendations


- AU Member States should continue to organize and implement COVID-19 vaccination campaigns, with a focus on increasing [eligibility](#) and demand needed to achieve 70% vaccine coverage. Member States should also address vaccine misinformation with effective community-based risk communication and vaccine promotion activities.
- AU Member States are encouraged to implement a tiered public health and social measures (PHSM) approach. This approach will ensure that measures are targeted and informed by the current COVID-19 situation.
- AU Member States should continue to **enhance COVID-19 surveillance** efforts to include:
  1. [Community-based surveillance](#) to detect symptomatic cases early and minimize viral transmission. Where feasible, [rapid antigen tests](#) and [self-testing](#) can be used to enhance diagnostic screening efforts.
  2. [Rapid mortality surveillance](#) that focuses on collection, analysis and use of all-cause mortality data captured from facility and/or community-based surveillance activities to improve knowledge of COVID-19 related outcomes.
  3. [Genomic surveillance](#) to monitor the presence of variants and the spread and continuous evolution of the virus.
  4. [Syndromic surveillance](#) for influenza-like illness (ILI) and severe acute respiratory infections (SARI) to monitor COVID-19 trends in comparison to other respiratory pathogens.
- AU Member States are encouraged to:
  1. Continue contact tracing activities where feasible based on the current epidemiological situation and country capacity.
  2. Inform the general public about the importance of seeking immediate medical care for individuals who develop severe symptoms of COVID-19 (e.g., difficulty breathing).
  3. Engage social scientists to help inform and enhance vaccination campaigns and PHSM implementation.
- All AU Member States should notify and routinely share data with Africa CDC and WHO on confirmed COVID-19 cases, deaths, recoveries, tests conducted and infected healthcare workers to support data for action. Notify Africa CDC by emailing: [AfricaCDCEBS@africa-union.org](mailto:AfricaCDCEBS@africa-union.org).

## Resources


- Africa CDC COVID-19 updates <https://africacdc.org/covid-19/>
- Adapted Africa Joint Continental Strategy for COVID-19 Pandemic: <https://africacdc.org/download/adapted-africa-joint-continental-strategy-for-covid-19-pandemic/>
- Africa CDC Resources, policy guidelines, and infographics: <https://africacdc.org/covid-19/covid-19-resources/>
- Africa CDC Hotspot and PHSM Tiers dashboards: <https://africacdccovid.org/>
- Africa CDC vaccination dashboard: <https://africacdc.org/covid-19-vaccination/>
- Africa CDC pathogen genomics dashboard: <https://africacdc.org/institutes/africa-pathogen-genomics-initiative/>
- Partnership for Evidence-Based Response to COVID-19 (PERC) <https://preventepidemics.org/covid19/perc/>
- WHO Technical Guidance. <https://www.who.int/emergencies/diseases/novel-coronavirus-2019/technical-guidance>



# Additional Figures




**Figure 2. New COVID-19 cases VS deaths reported in Africa region (15 February 2020 - 15 November 2022)**




Note: The boundaries and names shown and the designations used on this map do not imply official endorsement or acceptance by the African Union.

**Figure 3. Map of weekly COVID-19 case incidence\* by African Union Member State for epidemiological week 45 [2022-11-07 - 2022-11-13]**




Note: The boundaries and names shown and the designations used on this map do not imply official endorsement or acceptance by the African Union.

**Figure 4. Map of weekly COVID-19 death incidence\* by African Union Member State for epidemiological week 45 [2022-11-07 - 2022-11-13]**




Note: The boundaries and names shown and the designations used on this map do not imply official endorsement or acceptance by the African Union.

**Figure 5. Map of weekly COVID-19 case fatality\* by African Union Member State for epidemiological week 45 [2022-11-07 - 2022-11-13]**



Note: The boundaries and names shown and the designations used on this map do not imply official endorsement or acceptance by the African Union.

**Figure 6. Map of weekly SARS-CoV-2 test positivity\* by African Union Member State for epidemiological week 45 [2022-11-07 - 2022-11-13]**



Note: The boundaries and names shown and the designations used on this map do not imply official endorsement or acceptance by the African Union.

**Figure 7. Map of COVID-19 vaccination coverage by AU Member State as of 15 November 2022**