


Outbreak Brief #143

Coronavirus Disease 2019 (COVID-19) Pandemic

11 October 2022



The distribution of cumulative cases from the WHO reporting regions



Eastern Mediterranean Region 23,109,753 (4%)


Western Pacific Region 90,942,697 (15%)

African Region 9,337,379 (2%)

Source: WHO Coronavirus (COVID-19) Dashboard

Proportion of global totals in Africa

2.0% of Cases



of variants of concern

53 AU Member States reporting presence

50 (91%) MS reporting Alpha

45 (82%) MS reporting Beta

3 (5%) MS reporting Gamma

52 (95%) MS reporting Delta

51 (93%) MS reporting Omicron

COVID-19 vaccination and booster coverage by AU Member State

27.5% population partially vaccinated

23.1% population fully vaccinated

2.9% population boostered

3.9% of Deaths

Outbreak Update





Number of new COVID-19 cases in African Union Regions




Figure 1. New COVID-19 cases reported per day in Africa by African Union region (15 February 2020 - 11 October 2022)

Outbreak Update

Outbreak Update:

As of 11 October 2022, a total of 618,521,620 COVID-19 cases and 6,534,725 deaths (case fatality ratio [CFR]: 1.1%) have been reported globally by 232 countries and territories to the World Health Organization (WHO). The distribution of cumulative cases (percentage of global cases) from the WHO regions (excluding Africa) are as follows: **Eastern Mediterranean Region** 19,560,449 (4%), **European Region** 255,348,579 (41%), **Region of the Americas** 178,580,482 (29%), **South-East Asia Region** 60,322,869 (10%) and **Western Pacific Region** 90,441,077 (15%). In the last seven days, the five countries reporting the highest number of new cases are Germany (655,679), France (388,339), China (334,963), Italy (288,257) and the United States of America (282,574). As of 7 October 2022, over 4.9 billion people (62% of the global population) have been fully vaccinated. For more detailed information on cases and deaths reported outside of Africa, refer to the <u>WHO COVID-19</u> dashboard.

As of 6 p.m. East African Time (EAT) 9 October 2022, a total of 12,079,592 COVID-19 cases and 255,843 deaths (CFR: 2.1%) have been reported by the 55 African Union (AU) Member States (MS). This represents 2% of all cases and 4% of all deaths reported globally. Forty (73%) AU MS are reporting CFRs higher than the global CFR. Since the detection of COVID-19 on the African continent (in February 2020), 53 (96%) AU MS have experienced three distinct COVID-19 waves, 48 (87%) MS have experienced four waves, 28 MS have experienced five waves, and five MS (Algeria, Burundi, Kenya, Mauritius and Tunisia) have experienced a sixth wave.

Fifty-three MS have reported COVID-19 cases infected with the Alpha (50 MS), Beta (45), Delta (52), Gamma (3) and Omicron (51) variants of concern (VOC). Additionally, 33 MS have detected the Omicron BA.2 sub-variant, while 21 MS detected the Omicron BA.4 and 18 MS detected the Omicron BA.5 sub-variants. More information on SARS-COV-2 sequencing and the breakdown of variants reported by AU MS is available on the <u>Africa Pathogen Genomics Initiative Dashboard</u>.

Fifty-four (98%) MS are currently providing COVID-19 vaccination to the general population. Cumulatively, 717 million doses have been administered on the continent. Of these doses administered, 354 million people have been partially vaccinated, 323.2 million have been fully vaccinated, and 23.1% of the continental population is fully vaccinated. Eritrea is the only AU MS yet to start COVID-19 vaccination roll out. More information on COVID-19 vaccination can be found on the <u>Africa CDC COVID-19</u> vaccine dashboard.

For Epi week 40 (3 - 9 October 2022), 6,081 new COVID-19 cases were reported, which is a 12% increase in the number of new cases reported compared to the previous week (week 39) (Figure 1). The Southern region accounted for 41% of the new COVID-19 cases reported this week, followed by the Western (23%), Central (22%), Eastern (7%) and Northern (7%) regions. Cameroon (5) had the highest number of new daily COVID-19 cases per 1 million population among all MS.

Last week (week 40), 21 new COVID-19 deaths were reported in Africa, a 60% decrease in the number of new deaths reported compared to the previous week. Approximately 47% of these deaths were reported from the Southern region. The remaining deaths were reported from the Northern (38%), Western (10%)and Central (5%) regions. There were no new deaths reported from the Eastern regions. Cumulative COVID-19 case and death totals and new COVID-19 cases and deaths reported during week 40 by AU Member State are summarized in Table 1.

More than 182,000 tests were conducted during the past week, reflecting a 55% increase in the number of tests compared to the previous week. The weekly % test positivity is 3%, a 64% decrease compared to last week. Since February 2020, over 123.2 million COVID-19 tests have been conducted in Africa. **For more information on the COVID-19 situation in Africa**, please see the Africa CDC <u>daily dashboard</u> and <u>hotspot dashboard</u>.

*The number of new cases and deaths are updated as Africa CDC receives this information and may not be reflective of the total new cases and deaths as per the date of the outbreak brief report.

**Due to batch reporting of new tests from Madagascar and Uganda.

Cases, Deaths and Recoveries



Table 1. Confirmed COVID-19 cases, deaths and recoveries reported in Africa for Epi week 40

Country	Cumulative number of cases (new cases)	% change in new cases since week 39	Cumulative number of deaths (new deaths)	% change in new deaths since week 39
Central Africa	386,310 (1,334)	136.9%	4,591 (1)	-95%
Burundi	50,289 (64)	-63.2%	15 (0)	NA*
Cameroon	123,701 (1,072)	322%	1,960 (0)	-100%
Central African Republic	14,956 (33)	3,200%	113 (0)	NA*
Chad	7,581 (0)	-100%	193 (0)	NA*
Congo Republic	24,837 (0)	-100%	386 (0)	NA*
DR Congo	92,973 (38)	-7.3%	1,358 (1)	NA*
Equatorial Guinea	16,949 (30)	400%	183 (0)	NA*
Gabon	48,772 (81)	800%	306 (0)	NA*
São Tomé and Príncipe	6,252 (16)	166.7%	77 (0)	NA*
Eastern Africa	1,470,550 (432)	-65.8%	27,644 (0)	-100%
Comoros	8,471 (0)	NA*	160 (0)	NA*
Djibouti	15,960 (0)	-100%	189 (0)	NA*
Eritrea	10,180 (7)	40%	103 (0)	NA*
Ethiopia	493,684 (68)	-35.8%	7,572 (0)	NA*
Kenya	338,499 (60)	22.4%	5,678 (0)	-100%
Madagascar	66,684 (8)	-50%	1,410 (0)	NA*
Mauritius	40,314 (0)	NA*	1,014 (0)	NA*
Rwanda	132,567 (0)	-100%	1,466 (0)	NA*
Seychelles	47,141 (0)	-100%	169 (0)	NA*
Somalia	27,216 (9)	NA*	1,361 (0)	NA*
South Sudan	17,783 (0)	NA*	138 (0)	NA*
Sudan	63,339 (59)	NA*	3,909 (0)	NA*
Tanzania	39,513 (73)	-26.3%	845 (0)	NA*
Uganda	169,199 (148)	NA*	3,630 (0)	NA*



Country	Cumulative number of cases (new cases)	% change in new cases since week 39	Cumulative number of deaths (new deaths)	% change in new deaths since week 39
Northern Africa	3,769,362 (401)	-19.2%	84,557 (8)	700%
Algeria	270,707 (39)	56%	6,879 (0)	NA*
Egypt	515,667 (0)	NA*	24,624 (0)	NA*
Libya	507,010 (5)	-70.6%	6,437 (0)	NA*
Mauritania	62,908 (82)	134.3%	995 (0)	-100%
Morocco	1,265,093 (132)	69.2%	16,278 (0)	NA*
Sahrawi	2,148 (0)	NA*	90 (0)	NA*
Tunisia	1,145,829 (143)	-58.1%	29,254 (8)	NA*
Southern Africa	5,572,802 (2,509)	24.5%	127,582 (10)	-79%
Angola	103,131 (0)	NA*	1,917 (0)	NA*
Botswana	263,950 (0)	NA*	2,739 (0)	NA*
Eswatini	73,436 (26)	-16.1%	1,422 (0)	NA*
Lesotho	34,577 (0)	-100%	706 (0)	NA*
Malawi	88,045 (16)	-33.3%	2,682 (0)	-100%
Mozambique	230,401 (32)	-66.7%	2,224 (0)	-100%
Namibia	166,662 (0)	NA*	4,077 (0)	NA*
South Africa	4,021,252 (2,175)	42.6%	102,194 (9)	-77%
Zambia	333,599 (49)	-49%	4,017 (0)	NA*
Zimbabwe	257,749 (211)	7.7%	5,604 (1)	-75%



Country	Cumulative number of cases (new cases)	% change in new cases since week 39	Cumulative number of deaths (new deaths)	% change in new deaths since week 39
Western Africa	879,658 (1,405)	26%	11,469 (2)	-67%
Benin	27,782 (144)	NA*	163 (0)	NA*
Burkina Faso	21,204 (0)	NA*	387 (0)	NA*
Cabo Verde	62,389 (13)	-18.8%	410 (0)	NA*
Côte d'Ivoire	87,428 (146)	-0.7%	826 (0)	-100%
Gambia	12,508 (0)	NA*	372 (0)	NA*
Ghana	170,103 (418)	-28.5%	1,459 (0)	NA*
Guinea	38,072 (14)	-56.3%	791 (0)	-100%
Guinea-Bissau	8,796 (0)	NA*	176 (0)	NA*
Liberia	7,974 (13)	NA*	294 (0)	NA*
Mali	32,697 (14)	-82.3%	742 (0)	-100%
Niger	9,412 (5)	NA*	314 (1)	NA*
Nigeria	265,816 (434)	557.6%	3,155 (0)	NA*
Senegal	88,537 (101)	24.7%	1,968 (0)	NA*
Sierra Leone	7,751 (0)	NA*	126 (0)	NA*
Тодо	39,189 (103)	-5.5%	286 (1)	0%
Africa	12,078,682 (6,081)	11.5%	255,843 (21)	-72%

Response Activities



New (Africa CDC) Response Activities

General

- Dr. Ahmed E. Ogwell Ouma, Acting Director of Africa CDC, hosted the Africa CDC weekly press briefing on Thursday 6 October 2022 at 12 p.m. EAT. He provided an update on the COVID-19 situation across the continent, including response efforts and progress on increasing COVID-19 vaccination coverage. The recording is available on the <u>Africa CDC Twitter</u> page.
- Africa CDC's Saving Lives and Livelihood Programme (SLL) in partnership with the Mastercard Foundation delivered over 88.3 million doses of COVID-19 vaccines to 36 AU Member States from 17 November 2021 to 9 October 2022.

Risk communication and community engagement

 Africa CDC held a three-day training workshop for 16 health reporters and editors in the Western Africa region from 4 - 6 October 2022 in Cotonou, Benin. The aim was to train media professionals on strategies to fight infodemic and the proper use of health data for media reporting.

Sciences, Standards and Regulations

- 1. Access the Partnership for Evidence-Based Response to COVID-19 (PERC) update and all other products, or visit the <u>PERC</u> and <u>Africa CDC websites</u>.
- 2. Access the latest PERC report on "Responding to COVID-19 in Africa: Finding the Balance (Part IV) and Calls to Action" here.





Recommendations

AU Member States should continue to organize and implement COVID-19 vaccination campaigns, with a focus on increasing <u>eligibility</u> and demand needed to achieve 70% vaccine coverage. Member States should also address vaccine misinformation with effective community-based risk communication and vaccine promotion activities.

AU Member States are encouraged to implement a tiered public health and social measures (PHSM) approach. This approach will ensure that measures are targeted and informed by the current COVID-19 situation.

AU Member States should continue to enhance COVID-19 surveillance efforts to include:

<u>Community-based surveillance</u> to detect symptomatic cases early and minimize viral transmission. Where feasible, <u>rapid antigen tests</u> and <u>self-testing</u> can be used to enhance diagnostic screening efforts.

<u>Rapid mortality surveillance</u> that focuses on collection, analysis and use of all-cause mortality data captured from facility and/or community-based surveillance activities to improve knowledge of COVID-19 related outcomes.

Genomic surveillance to monitor the presence of variants and the spread and continuous evolution of the virus.

<u>Syndromic surveillance</u> for influenza-like illness (ILI) and severe acute respiratory infections (SARI) to monitor COVID-19 trends in comparison to other respiratory pathogens.

AU Member States are encouraged to:

Continue contact tracing activities where feasible based on the current epidemiological situation and country capacity.

Inform the general public about the importance of seeking immediate medical care for individuals who develop severe symptoms of COVID-19 (e.g. difficulty breathing).

Engage social scientists to help inform and enhance vaccination campaigns and PHSM implementation.

All AU Member States should notify and routinely share data with Africa CDC and WHO on confirmed COVID-19 cases, deaths, recoveries, tests conducted and infected healthcare workers to support data for action. Notify Africa CDC by emailing: AfricaCDCEBS@africa-union.org.

Resources

Africa CDC COVID-19 updates <u>https://africacdc.org/covid-19/</u>

Adapted Africa Joint Continental Strategy for COVID-19 Pandemic: <u>https://africacdc.org/download/adapted-africa-joint-</u> <u>continental-strategy-for-covid-19-pandemic/</u>

Africa CDC Resources, policy guidelines, and infographics: <u>https://africacdc.org/covid-19/covid-19-resources/</u>


Africa CDC Hotspot and PHSM Tiers dashboards: https://africacdccovid.org/

Africa CDC vaccination dashboard: https://africacdc.org/covid-19-vaccination/

Africa CDC pathogen genomics dashboard: https://africacdc.org/institutes/africa-pathogen-genomics-initiative/

Partnership for Evidence-Based Response to COVID-19 (PERC) https://preventepidemics.org/covid19/perc/

WHO Technical Guidance. https://www.who.int/emergencies/diseases/novel-coronavirus-2019/technical-guidance



COVID-19 confirmed cases new COVID-19 confirmed deaths new

Figure 2. New COVID-19 cases VS deaths reported in Africa region (15 February 2020 - 11 October 2022)








Figure 3. Map of weekly COVID-19 case incidence* by African Union Member State for epidemiological week 40 [2022-10-03 - 2022-10-09]






Figure 4. Map of weekly COVID-19 death incidence* by African Union Member State for epidemiological week 40 [2022-10-03 - 2022-10-09]






Figure 5. Map of weekly COVID-19 case fatality* by African Union Member State for epidemiological week 40 [2022-10-03 - 2022-10-09]






Figure 6. Map of weekly SARS-CoV-2 test positivity* by African Union Member State for epidemiological week 40 [2022-10-03 - 2022-10-09]





Average for 54 AU Member States




Figure 7. Map of COVID-19 vaccination coverage by AU Member State as of 11 October 2022